

FIG.1

BEST AVAILABLE COPY




FIG. 2

BEST AVAILABLE COPY




FIG. 3

BEST AVAILABLE COPY





FIG. 4A

CONTINUED ON FIG. 4B






FIG. 4B




6/9



CONTINUED ON FIG.5B

FIG.5A




CONTINUED FROM FIG. 5A

SERVICE TYPE IS CALLING PARTY PAYS

IF A IS NOT A SWBT NPA-NXX, PROCEED TO
ANALYZE_ROUTE RESPONSE AND DO NOT QUERY LIDD.

IF NPA-NXXX OF A IS A CODE,
LIDD IS QUERIED TO DETERMINE IF A IS A BILLABLE STATION



CPN IS A NUMBER WHICH
CANNOT BE DILLED FOR CALL COMPLETION





FIG. 5B



7-DIGIT 0 IS ASSIGNED ROUTE INDEX WHICH
PREFIXES OXX AND ROUTES CALL TO OFFICE C.

QUERY - INFO ANALYZED

CPN=A
CALLED NO=OXX + B

TRICRITYPE = NPA

CA1F0PARYNO= OXX + B

 $CPN = A$

1
CORRECT NPA IS DETERMINED AND PREFIXED TO 7-DIGIT D.
LION DATABASE IS QUERIED TO DETERMINE TYPE OF ICC SERVICE

CFT DATA QUERY (ICP/IP)

LINE NUMBER= 10-DIGIT 0

LINE NUMBER(= 15 DIGIT)
ELEVENTH(NEW DN)= AAA

ELEMENTID (NEW DAY) = 0
ELEMENTID (CC CONF) = 0


RETURN DESIRABLE

וְלִמְדָה וְלִפְסָדָה

MM=NPANXXXXXX

CONTINUED ON FIG. 6B.

FIG. 6A



CONTINUED FROM FIG. 6A

SERVICE TYPE IS SUBSCRIBER PAYS
FLAT RATE BILLING




FIG. 6B